



My beautiful pool,  
where I want,  
when I want!

ABOVE-GROUND | PARTIALLY IN-GROUND | IN-GROUND

[procoshop.com](https://procoshop.com)

BWT myPOOL URBAN POOL 6.00X2.50



BY Cert. 9605845



## THE BEST OF KNOW-HOW AND SAFETY

For your comfort and safety, Urban pools are fitted with submerged automatic covers\*, a feature usually associated with large, high end pools. Housed under the pool edging, the submerged cover keeps the pool water clean and warm. It secures and protects your pool with total discretion.

In addition, URBAN pools are fitted out with high-end, state of the art technical equipment: LED underwater lights, automatic filtration management, in-pool aluminium ladder with 3 treads (in two sections) with stainless steel handrails, a wooden access ladder, a skimmer and return fitting the same colour as the liner and automatic cover.

\*complies with the pool safety standard NF P 90-308.

## TOTAL FREEDOM

URBAN pools were purpose designed for small spaces. Their dimensions are carefully adapted to the restrictions of urban living, they fit in anywhere. There are 3 models to choose from, 2 of which feature a water surface area less than 10 m<sup>2</sup>. Contact your local authority for information regarding building permits at the installation site.



STRUCTURE  
POOL FITTINGS



AUTOMATIC  
COVER



LADDER  
FILTRATION  
LINER



In just a few seconds, with the turn of a key, the cover hidden under the coping rolls out over the surface of the water. Effortless protection for your pool.

Standard equipment	
Northern Spruce coping, thickness 28mm, width 290mm	included
Planks of solid, class IV treated Northern Pine, 45 mm thick	included
Liner thickness	0.75 mm
Liner colour	light grey
Number of skimmers P-PM body (colour matched to the liner)	1 (light grey)
Number of return fittings (colour matched to the liner)	1 (light grey)
Hydraulic connections	included
Filtration 4 m <sup>3</sup> /h	version dependant

Standard equipment	
Metallic structural braces	4
LED underwater light	1
Flow rate at the return fitting (m <sup>3</sup> /h)	4
Automatic safety cover	light grey
Electrical control panel (cover, filtration and UW light)	included
In-pool Aluminium/ABS ladder in 2 parts	3 treads
Wooden access ladder	4 treads
Swim tether	included
Underlay	included




## BWT URBAN POOLS 6.00X2.50

ABOVE-GROUND | PARTIALLY IN-GROUND | IN-GROUND


Outer dimensions (cm)	<b>603 × 253</b>
Outer dimensions with plant housing (cm)	<b>670 × 301</b>
Water surface dimensions (cm)	<b>500 × 200</b>
Height, coping included (cm)	<b>133</b>
Water volume (m <sup>3</sup> )	<b>13.40</b>
Water surface area (m <sup>2</sup> )	<b>9.99</b>

Overall dimensions without plant housing (cm)      Overall dimensions with plant housing (cm)



### NORTHERN SPRUCE COPING!

Class III treated, selected for its resilience, mechanical strength and excellent weatherability.



## 4 LEVELS OF EQUIPMENT

### AUTOMATIC COVER\*



Housed discreetly in the pool, the submerged cover keeps the pool water clean and warm. It effortlessly secures and protects your pool.

\* Version without plant housing permitted for above-ground onfigurations only



Equipment included: integrated automatic cover and compact cartridge filtration unit

Code : 27180614 | EAN : 3566837163563 | Price inclVAT

### WOODEN PLANT HOUSING



The wooden housing is made of slats 28mm thick, the profile matches the pool coping. In accordance with the French safety standard NFP 90-308, the lid is hinged and fitted with a lock. The plant housing is mounted at a corner to house the electrical components of the automatic cover and the filtration system.

The plant housing is mandatory for in-ground and partially in-ground installation configurations.



Equipment included: integrated automatic cover and wooden plant housing

Code : 27180214 | EAN : 3566837184940 | Price inclVAT

### SAND FILTER



Comprised of a light grey sand filter P-GFI 400, 4m<sup>3</sup>/h, (delivered with the filter medium) with a removable lid, a self-priming pump with a pre-filter, a 6-way valve, a pump/ filter connection kit and a black ABS base.



Equipment included: integrated automatic cover, wooden plant housing and sand filter

Code : 27180314 | EAN : 3566837184964 | Price inclVAT

### HEATING



The BWT myPOOL Inverter heat pump is ideal for URBAN pools under the following operating conditions: air temperature 26°C, water temperature 26°C. It is delivered with 9 m of by-pass pipe to install the pump 3.5 m from the pool and a sand filtration group P-GFI 400, 6m<sup>3</sup>/h.



Equipment included: integrated automatic cover, wooden plant housing, sand filter and heating

Code : 27180414 | EAN : 3566837184995 | Price inclVAT



**PROCOPI S.A.S.**

Les Landes d'Apigné - B.P. 45328

35653 LE RHEU Cedex - FRANCE

+33 2 99 14 78 78 ☎ +33 2 99 14 59 05

✉ rennes@procopi.com

*procoshop.com*

Dealer's stamp: